

AMBURGO

CLOSED WALL-SITE & CLOSED ISLANDS • REMOTE REFRIGERATION UNIT



11/11/2022 content modifiable without notice.







arneg

ITALIA





YOUR GLOBAL PARTNER FOR RETAIL SOLUTIONS

AMBURGO IMO-C BT V LINEARE R

Length without side panels	mm		1875		2500		3750	
Height of glass front	cm		G4	G6	G4	G6	G4	G6
Temperature class	3 L1		•	•	•	•	•	•
Preservation temperature	°C -22/-25		•	•	•	•	•	•
Horizontal display area*	m²	Depth 90	1,35		1,8		2,7	
		100	1,54		2,05		3,08	
		110	1,65		2,2		3,3	
Energy class**	Depth 90 - 100 - 110							

**90 G4****90 G6****100 G4****100 G6****110 G4****110 G6****AMBURGO IMO-C BT V TESTATA R**

Overall length	mm	2068		2268		2388	
Height of glass front		G4	G6	G4	G6	G4	G6
Temperature class	3 L1	•	•	•	•	•	•
Preservation temperature	°C -22/-25	•	•	•	•	•	•
Horizontal display area*	m ²	1,37		1,51		1,6	
Energy class**		E		E		E	





**90 G4****90 G6**

*Value referred to illustrated configurations.







**The energy class may vary depending on the product configuration.

AMBURGO IMO-C BT V TESTATA R TA

Overall length	mm	2068		2268		2388	
Height of glass front		G4	G6	G4	G6	G4	G6
Temperature class	3L1	•	•	•	•	•	•
Preservation temperature	°C -22/-25	•	•	•	•	•	•
Horizontal display area*	m ²	1,37		1,51		1,6	
Energy class**		A G E		A G E		A G E	





**G4****G6****AMBURGO ISL-C-2 BT V1E LINEARE R**

Length without side panels		mm	1875		2500		3750	
Height of glass front		cm	G4	G6	G4	G6	G4	G6
Temperature class		3L1	•	•	•	•	•	•
Preservation temperature		°C -22/-25	•	•	•	•	•	•
Horizontal display area*	m²	Depth	140	2,06	2,75		4,13	
			160	2,33	3,1		4,65	
			180	2,7	3,6		5,4	
			200	3,08	4,1		6,15	
			210	3,3	4,4		6,6	
Energy class**	Depth	140 - 160 - 180 - 200 - 210						





**140 G4****140 G6****160 G4****160 G6****180 G4****180 G6**

*Value referred to illustrated configurations.





**The energy class may vary depending on the product configuration.

**200 G4****200 G6****210 G4****210 G6****AMBURGO ISL-C-2 BT V1E TESTATA R**

Overall length	mm	1500		1630		1830		2030		2150	
Height of glass front		G4	G6	G4	G6	G4	G6	G4	G6	G4	G6
Temperature class	3 L1	•		•		•		•		•	
Preservation temperature	°C -22/-25	•		•		•		•		•	
Horizontal display area*	m ²	0,96		1,05		1,2		1,34		1,43	
Energy class**		A G E		A G E		A G E		A G E		A G E	

**G4****G6****AMBURGO ISL-C-2 BT V1E TESTATA R TA**

Overall length	mm	1500		1630		1830		2030		2150	
Height of glass front		G4	G6	G4	G6	G4	G6	G4	G6	G4	G6
Temperature class	3 L1	•		•		•		•		•	
Preservation temperature	°C -22/-25	•		•		•		•		•	
Horizontal display area*	m ²	0,96		1,05		1,2		1,34		1,43	
Energy class**		A G E		A G E		A G E		A G E		A G E	

**G4****G6**

*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.